

LA-BRASILIANA

Keratin Treatment with Collagen

Hair Color Research Group
133-20 Whitestone Expressway
Flushing, NY, 11354

www.la-brasiliana.com
info@la-brasiliana.com

Tel: (718) 445-6026 (800) 519-2309
Fax: (718) 445-6216



MATERIAL SAFETY DATA SHEET

IDENTITY LA-BRASILIANA LUCIA Light Spray Shine	
---	--

SECTION I

Manufacturer's Name Hair Color Research Group	Emergency Telephone Number CHEMTREC: (800)424-9300
Address 133-20 Whitestone Expressway Flushing, NY 11354	Telephone Number for Information 718-445-6026
	Date Prepared 08/2011
	Signature of Preparer(Optional)

SECTION II-HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Cyclopentasiloxane (CAS541-02-6)			Twa 10 ppm	10
Isododecane (CAS13475-82-6)			< 10mg hg	
Phenyl Trimethicone (cas2116-84-9)				

SECTION III- Physical/Chemical Characteristics

Boiling Point	98 °C	Specific Gravity (H2O=1)	0.98
Vapor Pressure	N/D	Melting Point	N/A
Vapor Density	N/A	Evaporation Rate (Butyl Acetate = 1)	N/D

Solubility in Water : Soluble
 Appearance and Odor : Clear Liquid with Orange Scent.

SECTION IV-Fire and Explosion Hazard Data

Flash Point (Method Used) Product flash point 134 °F	Flammable limits N/D	LEL N/D	UEL N/D
--	--------------------------------	-------------------	-------------------

Extinguishing Media
 Water, CO2, Dry Chemical Foam

Special Fire Fighting Procedures
 Use Self-Contained breathing apparatus. Water maybe used on containers exposed to intense heat to prevent vapor pressure buildup.

Unusual Fire and Explosion Hazards
 None

Section V - Reactivity Data

Stability	Unstable		Conditions To Avoid
	Stable	X	None Known

Incompatibility (Materials to Avoid)
 N/A

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	N/A

Section VI- Health Hazard Data

Route(s) of Entry **Inhalation?** Yes **Skin?** No **Ingestion?** No

Health Hazards (Acute and Chronic)

Carcinogenicity: No	NTP? No	IARC Monographs N/A	OSHA Regulated? No
-------------------------------	-------------------	-------------------------------	------------------------------

Signs and Symptoms of Exposure

Acute: Inhalation can irritate the nose, throat and lungs. Skin contact might cause irritation. Vapors might cause irritation to the eyes with redness, pain and blurred vision.
Chronic:

Medical Conditions
Generally Aggravated by Exposure

May aggravate existing skin, eye, respiratory, liver and kidney conditions.

Emergency and first Aid Procedures

Inhalation: If inhaled remove to fresh air, If not breathing give artificial respiration, preferable mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Skin Contact: Immediate wash thoroughly with soap and water, remove contaminated clothing and footwear. Wash clothing before reusing. Get medical attention if irritation should develop.
Eye contact: Remove contact lenses. immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Seek immediate medical attention.
Ingestion: If swallowed , call a physician immediately. Only induce vomiting at the instruction of the physician. Never give anything by mouth to an unconscious person.
Notes To Physician: Treat symptomatically.

Section VII- Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Precautions to be Taken in Handling and Storing

Avoid contact with eyes, skin and clothing. Avoid breathing vapors.
 Other Precautions

Section VIII-Control Measures

Respiratory Protection (Specify Type)

.

Ventilation	Local Exhaust N/A	Special N/A
	Mechanical N/A	Other N/A

Protective Gloves N/A	Eye Protection N/A
---------------------------------	------------------------------

Other Protective equipment N/A

Work/Hygiene Practices Ventilate area. Isolate spill and stop leak where safe. Wear appropriate personal equipment as specified in section VIII. Contain and collect equipment in an appropriate container or absorb with an inert material. Do not flush to sewers or surface waterways.