

LA-BRASILIANA

Keratin Treatment with Collagen

Hair Color Research Group
133-20 Whitestone Expressway
Flushing, NY, 11354
Tel: (718) 445-6026 (800) 519-2309
Fax: (718) 445-6216

www.la-brasiliana.com
info@la-brasiliana.com



Hair Color Research Group Inc. MATERIAL SAFETY DATA SHEET

ORIGINAL

1. PRODUCT AND COMPANY IDENTIFICATION

La-Brasiliana Original Keratin Treatment With Collagen

Principal Use: Hair Relaxer/Conditioner

Physical Form: Liquid

Color: Light Yellow Odor:

Fragranced.

NFPA Profile: Health: 1, Flammability : 3

H.C.R.G Inc

133-20 Whitestone Expressway
Flushing, NY 11354

Only in the event of a transportation emergency involving spills, leaks, fires or accidents, call CHEMTREC at 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME :(#)	CAS NUMBER	% w/w (*)
WATER	N/A	A
HYDROLYZED KERATIN	69430-36-0	E
PROPYLENE GLYCOL	57-55-6	E
AMODIMETHICONE	N/A	E
CETRIMONIUM CHLORIDE	112-02-7	F
CYCLOPENTASILOXANE	541-02-6	E
FORMALDEHYDE	50-00-0	E
DIMETHICONE	9006-65-9	F
CETEARYL ALCOHOL	8005-44-5	F
CETEARETH-20	68439-49-6	F
HYDROLYZED COLLAGEN	73049-73-7	F
FRAGRANCE	N/A	F

(#) CTFA DICTIONARY

(*) FDA-CODE (A= >50%, B= 25-50%, C= 10-25%, D= 5-10%, E= 1-5%, F=0.1-1%, G=<0.1%)

3.- Hazards Identification

Acute Effects

Potential Effects

Eye: Direct contact may cause irritation Skin:
May cause slight Irritation and staining if prolonged.
Inhalation: Irritates respiratory track.
Oral: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Prolonged/Repeated Exposure Effects

Skin: Not known at this time. May cause staining
Inhalation: No known at this time. Possible sensitization to vapors.
Oral: No known at this time.

Signs and Symptoms of Overexposure

No known at this time

Medical Conditions Aggravated by Exposure

Product contains formaldehyde which is known to irritate skin and eyes when direct contact and prolonged exposition occurs.

4.- First Aid Measures

First Aid Eyes:

Immediately flush eyes with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 min. Have eyes examined and treated by medical personnel.

First Aid – Skin

Wash material off skin with plenty of water. If redness, itching or a burning sensation occurs, get medical attention

First Aid – Ingestion

Do not induce Vomiting. Give 1 or 2 glasses of water to drink to the affected person and refer to medical personnel. **First Aid – Inhalation N/A.**

5.- Fire Fighting Measures

Flash Point and Method Will

not flash.

Auto ignition Temperature

Not applicable **Explosive**

Limits

Not applicable **General**

Hazards

Material is considered to be Not flammable. In case of fire keep container cool with water.

Extinguishing Media

Water, CO2, Dry Chemical Foam.

Fire Fighting Equipment

Self Contained breathing apparatus with full face piece and protective clothing.

6.-Containment and Cleanup

Store in cool Ventilated Space. Use only dry cloth to clean up. Do not use vacuum system. Do not flush with water or allow product to enter water systems. Product may be harmful to fish and wild life

FOR SALON USE ONLY

7.-HANDLING and STORAGE

This product is not to be used by untrained persons. Seal container after every use. Use with adequate ventilation. Use protective gloves and breathing mask when working with the product. Do not apply directly into the scalp. Decomposition of product at high temperatures release aldehydes vapors which may cause irritation to the nose, throat and eyes

FOR PROFESIONAL USE ONLY

8.-EXPOSURE CONTROLS/PERSONNEL PROTECTION

Component Exposure Limits: As per component composition.

All components are below allowable exposure limits under normal daily use by a trained professional.

Note: FORMALDEHYDE: Workplace exposure to formaldehyde is regulated by OSHA 1910.1048(CFR Title 29). This regulation requires labeling if handling, processing, and use of releasing enough formaldehyde to result in airborne concentrations above 0.5 ppm.

Engineering Controls: Always provide effective general and, when necessary, local exhaust ventilation to draw fumes, vapors and/or dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the MSDS. Use respirator in accordance with manufacturer's use limitation and OSHA standard 1910.134(29CFR).

Eye/Face Protection: Safety glasses or goggles required.

Skin Protection: Wear Protective Gloves.

Respiratory Protection: Wear an approved respirator(e.g., an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the exposure limit(s) of any chemical substance listed in this MSDS. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134. (29 CFR)

Exposure limits in salons are not determined.